





Zzoom pull-out recessed trimless double



Materiaal	Aluminium/staal
Type lichtbron	COB LED 2x
Type led	Bridgelux Vesta of Bridgelux V SERIES
Kleurtemperatuur	Dim to Warm, 2700K,3000K,4000K
CRI	>90
Montage	Plafond inbouw
Licht richting	down
Optiek	2x lens
Toepassing	Binnen
Bundelhoek	Gemeten: 20° tot 84° Verstelbaar met Zzoom ring
Verstelbaarheid	360 graden en uittrekbaar
Driver	Not included
Ingangsspanning	zie tabellen met verschillende lichtkleuren
Opgenomen vermogen	Afhankelijk van driver
Kleuren	Zwart, wit
Afmetingen	314x159x110mm
IP klasse	IP20
Lichtbeeld	Zachte bundel, standaard voorzien van diffusor. Door deze te verwijderen ontstaat er een scherpe bundel.



Zzoom pull-out recessed trimless double

Onderstaande waardes zijn per lichtbron

2700K Ra 90

Driver output (mA)	350	500
Forward voltage	31	31,9
Lumen output	1380	1911
Efficiency lm/W	142	134
Watt (led)	10,9	16

3000K Ra 90

Driver output (mA)	350	500
Forward voltage	31	31.9
Lumen output	1448	2005
efficiency	149	141
Watt (led)	10,9	16

4000K Ra 90

Driver output (mA)	350	500
Forward voltage	31	31.9
Lumen output	1464	2026
efficiency	150	142
Watt (led)	10,9	16

Dim to warm

Driver output (mA)	350	
Forward voltage	33,8	
Lumen output	1313	
efficiency	111	
Watt (led)	11,8	



Zzoom pull-out recessed trimless double

Omschrijving	artikelcode
Zzoom pull-out recessed trimless double 2700K black	A-0102-20B-L2B
Zzoom pull-out recessed trimless double 3000K black	A-0102-20B-L3B
Zzoom pull-out recessed trimless double 4000K black	A-0102-20B-L4B
Zzoom pull-out recessed trimless double dim to warm black	A-0102-20B-L5B
Zzoom pull-out recessed trimless double 2700K white	A-0102-20W-L2B
Zzoom pull-out recessed trimless double 3000K white	A-0102-20W-L3B
Zzoom pull-out recessed trimless double 4000K white	A-0102-20W-L4B
Zzoom pull-out recessed trimless double dim to warm white	A-0102-20W-L5B